Physica C 221 (1994) 435–438
North-Holland

PHYSICA C

Author Index to Volume 221

Abriata, J.P., see A.A. Aligia **221**, 109
Aharoni, E., see G. Koren **221**, 157
Akselrod, L.A., G.P. Gordeev, V.N. Zabenkin, M.R. Kolkhidashvili, I.M. Lazebnik, E.L. Ploschanskaja and V.I. Sbitnev, Measurement of the distribution of trapped flux in a Josephson-coupled medium by neutron polarimetry **221**, 219
Aldinger, F., see P. Majewski **221**, 295
Aligia, A.A., J. Garcés and J.P. Abriata, Phase separation and devil's staircase in models for O ordering in $RBa_2Cu_3O_{6+x}$ **221**, 109
Amoretti, G., R. Caciuffo, P. Santini, O. Francescangeli, E.A. Goremychkin, R. Osborn, G. Calestani, M. Sparpaglione and L. Bonoldi, Crystal-field excitations and gap opening in Tm: $YBa_2Cu_4O_8$ by inelastic neutron scattering **221**, 227
Andres, K., see M. Kund **221**, 119
Ansaldo, E.J., see R. Cloots **221**, 104
Aomine, T., see F. Ichikawa **221**, 195
Appelboom, H.M., H. Sato and M. Naito, Lanthanum and calcium doped $YBa_2Cu_3O_y$ films grown at low temperature and pressure **221**, 125
Aranda, M.A.G., D.C. Sinclair and J. Paul Attfield, Cation distribution in the superconducting Tl, Pb-1223 phase ("$Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$") from resonant synchrotron powder X-ray diffraction **221**, 304
Armstrong, A.R., see M. Dalton **221**, 149
Ata-Allah, S.S., Y.H. Xu and Ch. Heiden, Effect of Zn doping on the superconductivity of $RBa_2Cu_{3-x}Zn_xO_{7-y}$ (R = Yb, Er, Y, Dy, Gd, Eu, Sm and Nd) **221**, 39
Ausloos, M., see R. Cloots **221**, 104
Awana, V.P.S., see S. Sathaiah **221**, 177

Bach, H., see K. Schlenga **221**, 161
Barry, J.C., see S.J. Golden **221**, 85
Bhargava, A., see S.J. Golden **221**, 85
Bist, H.D., see S. Sathaiah **221**, 177
Boehnke, U.-C., see J. Herrmann **221**, 76
Bonoldi, L., see G. Amoretti **221**, 227
Burlakov, V.M., K.F. Renk, A. Gaymann, J. Münzel and H.P. Geserich, Interaction of axial infrared-active phonons with electronic excitations and phonon-mediated charge transfer in $YBa_2Cu_3O_{7-x}$ **221**, 269
Butorin, S.M., see V.V. Fedorenko **221**, 71

Caciuffo, R., see G. Amoretti **221**, 227
Cai, X.Y., see D.C. Larbalestier **221**, 299
Calestani, G., see G. Amoretti **221**, 227
Cao, G.H., Y.T. Qian, W.C. Yu, S.Z. Wang, Z.Y. Chen, Y.L. Huang and Y.H. Zhang, Synthesis and characterization of new cuprates with a (Bi, In)O monolayer: (Bi, In)Sr_2(Gd, Ca)Cu_2O_y **221**, 278
Carlson, K.D., see Y.C. Jean **221**, 399
Carter, W.L., see D.C. Larbalestier **221**, 299
Chen, Z.Y., see G.H. Cao **221**, 278
Chien, T.R., W.R. Datars, J.Z. Liu, M.D. Lan and R.N. Shelton, Anisotropy enhancement by Pr substitution in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ single crystals **221**, 428
Cloots, R., E.J. Ansaldo and M. Ausloos, A μ^+SR study of the effect of sulphur substitution in granular $YBa_2Cu_3O_{6.6}$ **221**, 104
Cohen, D., see G. Koren **221**, 157
Collin, G., see B. Hayani **221**, 319

Dalton, M., I. Gameson, A.R. Armstrong and P.P. Edwards, Structure of the $Li_{1+x}Ti_{2-x}O_4$ superconducting system. A neutron diffraction study **221**, 149
Datars, W.R., see T.R. Chien **221**, 428
Deltour, R., see A. Lanckbeen **221**, 53
Desfeux, R., J.F. Hamet, B. Mercey, C. Simon, M. Hervieu and B. Raveau, Thin film deposition of a new cubic perovskite, $La_{4+x}Ba_{1-x}Cu_5O_{12+\delta}$ used for the realization of multilayers with YBCO **221**, 205
Dorosinskii, L.A., see M. Turchinskaya **221**, 62

Edelman, H., see D.C. Larbalestier **221**, 299
Edwards, P.P., see M. Dalton **221**, 149
Elokhina, L.V., see V.V. Fedorenko **221**, 71
Endoh, Y., see K. Yamada **221**, 355
Erhart, P., see M. Warden **221**, 20

Farzetdinova, R.M., see E.Z. Meilikhov **221**, 27
Fedorenko, V.V., V.R. Galakhov, L.V. Elokhina, L.D. Finkelstein, V.E. Naish, E.Z. Kurmaev, S.M. Butorin, E.J. Nordgren, A.K. Tyagi, U.R.K. Rao and R.M. Iyer, Analysis of fluorine incorporation into $YBa_2Cu_3O_{6.5+\delta}$ by means of X-ray emission spectroscopy **221**, 71
Feng, Y., see D.C. Larbalestier **221**, 299
Finkelstein, L.D., see V.V. Fedorenko **221**, 71
Francescangeli, O., see G. Amoretti **221**, 227
Fruchter, L., see B. Hayani **221**, 319
Fukami, T., see F. Ichikawa **221**, 195
Funahashi, S., see E. Ohshima **221**, 261

Galakhov, V.R., see V.V. Fedorenko **221**, 71
Gameson, I., see M. Dalton **221**, 149
Garcés, J., see A.A. Aligia **221**, 109
Gayle, F.W., see M. Turchinskaya **221**, 62
Gaymann, A., see V.M. Burlakov **221**, 269

Geerk, J., see R. Henn **221**, 405
Geserich, H.P., see V.M. Burlakov **221**, 269
Golden, S.J., T. Yamashita, A. Bhargava, J.C. Barry and I.D.R. Mackinnon, The formation of $YBa_2Cu_3O_{7-x}$ in melt-texture heat treatments **221**, 85
Gordeev, G.P., see L.A. Akselrod **221**, 219
Goremychkin, E.A., see G. Amoretti **221**, 227
Grigoryan, L.S., see S. Sathaiah **221**, 177
Gutierrez, R., J. Hesse and J. Schreiber, The influence of structural instabilities and non-linear electron–phonon coupling on the isotope effect **221**, 363

Hamet, J.F., see R. Desfeux **221**, 205
Hayani, B., G. Collin and L. Fruchter, Superconducting and normal state properties of $Y_1Ba_2(Cu_{1-x}Fe_x)_3O_7$ ($x<0.2$) **221**, 319
Heiden, Ch., see S.S. Ata-Allah **221**, 39
Henn, R., T. Kroener, J. Geerk, G. Linker and O. Meyer, Transport and structural properties of thin (Bi, Pb)$_2$Sr$_2$Ca$_1$Cu$_2$O$_{8+\delta}$ films prepared by DC sputtering **221**, 405
Herrmann, J., U.-C. Boehnke, M. Krötzsch, B. Lippold and F. Schlenkrich, Preparation and characterization of $Y_{1-x}Pr_xBa_2Cu_4O_8$ **221**, 76
Hervieu, M., see R. Desfeux **221**, 205
Hesse, J., see R. Gutierrez **221**, 363
Hinks, D.G., see B.A. Hunter **221**, 1
Hiraga, K., see E. Ohshima **221**, 261
Hitterman, R.L., see B.A. Hunter **221**, 1
Horiuchi, T., K. Kitahama and T. Kawai, Preparation of Li-containing $Bi_2Sr_2CaCu_2O_8$ single crystals and their Li solubility limit **221**, 143
Hosoya, S., see K. Yamada **221**, 355
Huang, Y.L., see G.H. Cao **221**, 278
Hunter, B.A., J.D. Jorgensen, J.L. Wagner, P.G. Radaelli, D.G. Hinks, H. Shaked, R.L. Hitterman and R.B. Von Dreele, Pressure-induced structural changes in superconducting $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ ($n=1, 2, 3$) compounds **221**, 1

Ichikawa, F., T. Fukami and T. Aomine, Current–voltage characteristics of a triangular loop containing three SNS bridges **221**, 195
Iguchi, I., see K. Lee **221**, 254
Ito, W., see Y. Yoshida **221**, 393
Ivanshin, V.A., see M. Warden **221**, 20
Iyer, R.M., see V.V. Fedorenko **221**, 71
Izumi, F., see E. Ohshima **221**, 261

Jean, Y.C., Y. Lou, H.L. Yen, K.M. O'Brien, R.N. West, H.H. Wang, K.D. Carlson and J.M. Williams, Momentum distribution in κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br organic superconductor measured by positron annihilation. Search for the Fermi surface **221**, 399
Jorgensen, J.D., see B.A. Hunter **221**, 1
Joshi, H.C., see S. Sathaiah **221**, 177

Kaesche, S., see P. Majewski **221**, 295
Kaga, H., see T. Saikawa **221**, 413
Kaiser, D.L., see M. Turchinskaya **221**, 62
Kaneko, N., T. Kawasaki, T. Motoi and K. Yamamoto, Effect of metal cluster ions on the low-temperature growth of $YBa_2Cu_3O_y$ thin films **221**, 243
Kawai, T., see T. Horiuchi **221**, 143
Kawai, T., see K. Nakamura **221**, 387
Kawasaki, T., see N. Kaneko **221**, 243
Kikuchi, M., see E. Ohshima **221**, 261
Kitahama, K., see T. Horiuchi **221**, 143
Kolkhidashvili, M.R., see L.A. Akselrod **221**, 219
Koren, G., E. Polturak, D. Cohen, E. Aharoni and L. Patlagan, All $YBa_2Cu_3O_7$ Josephson edge junctions with $YBa_2CoCu_2O_7$ as the barrier/insulator **221**, 157
Kosaka, S., see A. Sawa **221**, 237
Koyama, T. and M. Tachiki, Study of superconducting fluctuations in superconductors with strong fluctuations **221**, 91
Kroener, T., see R. Henn **221**, 405
Krötzsch, M., see J. Herrmann **221**, 76
Kund, M., H. Veith, H. Müller, K. Andres and G. Saito, Anisotropic uniaxial-stress dependence of the superconducting transition temperature in single crystals of κ-(BEDT-TTF)$_2$Cu[N(CN)$_2$]Br **221**, 119
Kupka, M., Modification of the Blonder, Tinkham and Klapwijk expressions for Andreev and normal reflection coefficients due to a finite-thickness barrier at the normal metal–superconductor interface **221**, 346
Kurmaev, E.Z., see V.V. Fedorenko **221**, 71
Kvam, E.P., see C. Varanasi **221**, 46

Lan, M.D., see T.R. Chien **221**, 428
Lanckbeen, A., C. Legros, J.F. Marucco and R. Deltour, Point defect modeling of the oxygen stoichiometry in the $YBa_2(Cu_{1-y}Zn_y)_3O_{7-x}$ orthorhombic domain ($y=0.00$, 0.02, 0.04). Consequences on T_c and the charge transfer **221**, 53
Larbalestier, D.C., X.Y. Cai, Y. Feng, H. Edelman, A. Umezawa, G.N. Riley Jr. and W.L. Carter, Position-sensitive measurements of the local critical current density in Ag sheathed high-temperature superconductor (Bi, Pb)$_2$Sr$_2$Ca$_2$Cu$_3$O$_y$ tapes. The importance of local micro- and macro-structure **221**, 299
Laval, J.Y. and W. Swiatnicki, Atomic structure of grain boundaries in $YBa_2Cu_3O_{7-x}$ **221**, 11
Lazebnik, I.M., see L.A. Akselrod **221**, 219
Lee, K., I. Iguchi, S. Lee and G. Park, Behavior of high-T_c $Y_1Ba_2Cu_3O_y$ superconducting bridges in a microwave field **221**, 254
Lee, S., see K. Lee **221**, 254
Legros, C., see A. Lanckbeen **221**, 53
Li, Z.-Z., see M.-W. Xiao **221**, 136
Linker, G., see R. Henn **221**, 405
Lippold, B., see J. Herrmann **221**, 76
Liu, J.Z., see T.R. Chien **221**, 428
Lobastov, V.A., see A.N. Zherikhin **221**, 311
Lou, Y., see Y.C. Jean **221**, 399

Mackinnon, I.D.R., see S.J. Golden **221**, 85
Magnusson, J., see P. Norling **221**, 169
Mahajan, S., see Y. Yoshida **221**, 393
Majewski, P., S. Kaesche, H.-L. Su and F. Aldinger, The Pb solubility of the Bi-based high-T_c superconductors "$Bi_2Sr_2CaCu_2O_8$" and "$Bi_2Sr_2Ca_2Cu_3O_{10}$" as a function of temperature **221**, 295
Marucco, J.F., see A. Lanckbeen **221**, 53
McGinn, P.J., see C. Varanasi **221**, 46
Meilikhov, E.Z. and R.M. Farzetdinova, Galvanomagnetic and thermomagnetic phenomena in the mixed state of high-temperature superconductors **221**, 27
Mercey, B., see R. Desfeux **221**, 205
Meyer, O., see R. Henn **221**, 405
Morii, Y., see E. Ohshima **221**, 261
Morishita, T., see Y. Yoshida **221**, 393
Motoi, T., see N. Kaneko **221**, 243
Müller, H., see M. Kund **221**, 119
Münzel, J., see V.M. Burlakov **221**, 269

Naish, V.E., see V.V. Fedorenko **221**, 71
Naito, M., see H.M. Appelboom **221**, 125
Nakajima, K., see K. Yamada **221**, 355
Nakajima, S., see E. Ohshima **221**, 261
Nakamura, K., H. Nobumasa, K. Shimizu and T. Kawai, Preparation of the $(La, A)_2CaCu_2O_{6-y}$ [A: Sr, Ca]/$(La, Sr)_2CuO_{4-y}$ superlattice by laser ablation **221**, 387
Narlikar, A.V., see S. Sathaiah **221**, 177
Neumeier, J.J., see M.G. Smith **221**, 187
Nikitenko, V.I., see M. Turchinskaya **221**, 62
Niskanen, K., see P. Norling **221**, 169
Nobumasa, H., see K. Nakamura **221**, 387
Nordblad, P., see P. Norling **221**, 169
Nordgren, E.J., see V.V. Fedorenko **221**, 71
Norling, P., K. Niskanen, J. Magnusson, P. Nordblad and P. Svedlindh, Magnetic relaxation of intergranular critical state in sintered $YBa_2Cu_3O_{7-\delta}$ **221**, 169

Obara, H., see A. Sawa **221**, 237
O'Brien, K.M., see Y.C. Jean **221**, 399
Ohnishi, N., see E. Ohshima **221**, 261
Ohshima, E., M. Kikuchi, F. Izumi, K. Hiraga, T. Oku, S. Nakajima, N. Ohnishi, Y. Morii, S. Funahashi and Y. Syono, Structure analysis of oxygen-deficient $TlSr_2CuO_y$ by neutron diffraction and high-resolution electron microscopy **221**, 261
Oku, T., see E. Ohshima **221**, 261
Omata, T., see K. Yamada **221**, 355
Osborn, R., see G. Amoretti **221**, 227

Park, G., see K. Lee **221**, 254
Park, H.W., see S.N. Sinha **221**, 283
Patlagan, L., see G. Koren **221**, 157
Paul Attfield, J., see M.A.G. Aranda **221**, 304
Pavate, V., see C. Varanasi **221**, 46
Petnikova, V.M., see A.N. Zherikhin **221**, 311
Phillips, J.C., Local heating, resonant pinning and anisotropic interactions in anionic layered conductors **221**, 327
Ploschanskaja, E.L., see L.A. Akselrod **221**, 219
Polturak, E., see G. Koren **221**, 157
Polyanskii, A.A., see M. Turchinskaya **221**, 62

Qian, Y.T., see G.H. Cao **221**, 278

Radaelli, P.G., see B.A. Hunter **221**, 1
Rao, U.R.K., see V.V. Fedorenko **221**, 71
Raveau, B., see R. Desfeux **221**, 205
Renk, K.F., see V.M. Burlakov **221**, 269
Riley Jr., G.N., see D.C. Larbalestier **221**, 299
Roytburd, A., see M. Turchinskaya **221**, 62

Saikawa, T. and H. Kaga, Electronic states and the properties of the doped three-band CuO_2 model of the high-T_c systems **221**, 413
Saito, G., see M. Kund **221**, 119
Samanta, S.B., see S. Sathaiah **221**, 177
Santini, P., see G. Amoretti **221**, 227
Sathaiah, S., R.N. Soni, H.C. Joshi, L.S. Grigoryan, H.D. Bist, A.V. Narlikar, S.B. Samanta and V.P.S. Awana, Micro-Raman spectroscopy of $Bi_2Sr_2CaCu_2O_{8+\delta}$ intercalated with nickel phthalocyanine/benzene **221**, 177
Sato, H., see H.M. Appelboom **221**, 125
Sawa, A., H. Obara and S. Kosaka, Preparation of epitaxial $YBa_2Cu_3O_{7-x}/PrGaO_3$ layered structures by means of a molecular beam epitaxy technique **221**, 237
Sbitnev, V.I., see L.A. Akselrod **221**, 219
Schlenga, K., H. Bach and K. Westerholt, Magnetoresistance of $La_{2-x}Ba_xCuO_{4-\delta}$ single crystals with concentrations close to the metal–insulator transition **221**, 161
Schlenkrich, F., see J. Herrmann **221**, 76
Schreiber, J., see R. Gutierrez **221**, 363
Shaked, H., see B.A. Hunter **221**, 1
Shapiro, A.J., see M. Turchinskaya **221**, 62
Shelton, R.N., see T.R. Chien **221**, 428
Shimizu, K., see K. Nakamura **221**, 387
Shuvalov, V.V., see A.N. Zherikhin **221**, 311
Simon, C., see R. Desfeux **221**, 205
Sinclair, D.C., see M.A.G. Aranda **221**, 304
Sinha, S.N. and H.W. Park, Formation of orthorhombic $YBa_2Cu_3O_{7-x}$ at 900–1020°C in air from a precursor containing $BaCuO_{2.5}$ **221**, 283
Smith, M.G., R.D. Taylor, J.J. Neumeier and J.D. Thompson, Decrease of Fe magnetic-ordering temperature in $YSr_2Cu_2FeO_{6+x}$ through synthesis **221**, 187
Soni, R.N., see S. Sathaiah **221**, 177
Sparpaglione, M., see G. Amoretti **221**, 227
Su, H.-L., see P. Majewski **221**, 295
Svedlindh, P., see P. Norling **221**, 169
Swiatnicki, W., see J.Y. Laval **221**, 11
Syono, Y., see E. Ohshima **221**, 261

Tachiki, M., see T. Koyama **221**, 91
Taylor, R.D., see M.G. Smith **221**, 187
Thompson, J.D., see M.G. Smith **221**, 187

Turchinskaya, M., D.L. Kaiser, F.W. Gayle, A.J. Shapiro, A. Roytburd, L.A. Dorosinskii, V.I. Nikitenko, A.A. Polyanskii and V.K. Vlasko-Vlasov, Real-time observation of the effect of grain boundaries on magnetization of $YBa_2Cu_3O_{7-x}$ polycrystals **221**, 62
Tyagi, A.K., see V.V. Fedorenko **221**, 71

Umezawa, A., see D.C. Larbalestier **221**, 299

Varanasi, C., P.J. McGinn, V. Pavate and E.P. Kvam, Critical current density and microstructure of melt-processed $YBa_2Cu_3O_x$ with PtO_2 additions **221**, 46
Veith, H., see M. Kund **221**, 119
Vlasko-Vlasov, V.K., see M. Turchinskaya **221**, 62
Von Dreele, R.B., see B.A. Hunter **221**, 1

Wagner, J.L., see B.A. Hunter **221**, 1
Wang, H.H., see Y.C. Jean **221**, 399
Wang, S.Z., see G.H. Cao **221**, 278
Warden, M., V.A. Ivanshin and P. Erhart, Nonlinear microwave absorption in $Ba_{1-x}K_xBiO_3$ **221**, 20
West, R.N., see Y.C. Jean **221**, 399
Westerholt, K., see K. Schlenga **221**, 161
Williams, J.M., see Y.C. Jean **221**, 399

Xiao, M.-W. and Z.-Z. Li, Elastic and inelastic tunneling between a high-T_c oxide and normal metal **221**, 136
Xu, Y.H., see S.S. Ata-Allah **221**, 39

Yamada, K., T. Omata, K. Nakajima, Y. Endoh and S. Hosoya, Incommensurate magnetic correlations in $La_2NiO_{4.125}$. Magnetic phase diagram and two-dimensional hole-order **221**, 355
Yamamoto, K., see N. Kaneko **221**, 243
Yamashita, T., see S.J. Golden **221**, 85
Yen, H.L., see Y.C. Jean **221**, 399
Yoshida, Y., W. Ito, S. Mahajan and T. Morishita, Substrate bias effects on *a*-axis oriented $YBa_2Cu_3O_x$ thin films prepared by the DC-94.92 MHz hybrid plasma sputtering **221**, 393
Yu, W.C., see G.H. Cao **221**, 278

Zabenkin, V.N., see L.A. Akselrod **221**, 219
Zhang, Y.H., see G.H. Cao **221**, 278
Zherikhin, A.N., V.A. Lobastov, V.M. Petnikova and V.V. Shuvalov, Nonlinear spectroscopy of Y–Ba–Cu–O nonequilibrium states excited by picosecond optical pumping **221**, 311

Physica C 221 (1994) 439
North-Holland

PHYSICA C

Analytic Subject Index to Volume 221

Andreev reflection 346
Anharmonicity 363
Anisotropic superconductor 428
Applications of high-T_c superconductors 299
Atomic structure 11

Band structure 413
BCS model 91
Bistable bosons 327

Charge transfer 269
Cluster ion 243
Coherence length 428
Critical current density 20, 157, 283, 299, 405
–of Y_2BaCuO_5 46
Critical state model 219
Crystal field 227
Current-voltage characteristics 195

Defect structures 299

Edge junction 157
Electrical resistivity 39, 304
Electronic structure 53, 413
Electron–phonon coupling 363
EXAFS 295

Fermi surface 399, 413
Fluctuation effects 91
Flux creep 169
Flux pinning 62, 169

Grain alignment (texturing) 46
Grain boundaries 11, 104
Granular superconductivity 20, 62, 104, 169, 219

Hall effect 27
High-pressure effect 1
HREM 11, 119, 261

Incommensurate ordering 355
Infrared spectroscopy 269
Intercalation 177
Isotope effect 363

Josephson effect 157, 195
Josephson medium 254
Josephson screening current 219

Laser ablation 387
Low-temperature growth 243

Magnetic susceptibility 76
Magnetization 46, 355
Magneto-optical method 62
Magnetoresistance 161
Melt-texture 85
Metal–insulator transition 149, 161
Microwave absorption 20
Microwave self-radiation 254
Molecular beam epitaxy 237
Mössbauer spectroscoy 187
Multilayers 205
Muon spin rotation 104

Nb-Si-Nb edge-junction 254
Neutron diffraction 1, 149, 261
Neutron scattering 227
Non-cuprate superconductors 149
Non-linear spectroscopy 311
Non-ohmic behaviour 20, 137
Normal-state properties 76
–of $La_{2-x}Ba_xCuO_{4-\delta}$ 161

Optical spectroscopy 311
Organic superconductors 119, 399
Oxygen ordering 109
Oxygen stoichiometry 53, 71, 261

Penetration depth 104, 319
Percolation model 327
Phase diagram 355
Phase formation 85
Phase separation 109
Phonon spectrum 269, 327
Point contact spectroscopy 346
Positron annihilation 399

Raman scattering 177

Single-crystal growth 142
SNS bridge 195
Spin susceptibility 227
Structural phase transition 1, 363
Structure
–of $(Bi, Pb)_2Sr_2Ca_1Cu_2O_{8+\delta}$ 405
–of $Bi_{0.35}In_{0.65}Sr_2Gd_{1-x}Ca_xCu_2O_y$ 278
–of $Bi_2Sr_2CaCu_2O_{8+\delta}$ 177
–of $HgBa_2Ca_{n-1}Cu_nO_{2n+2+\delta}$ 1
–of $La_{4+x}Ba_{1-x}Cu_5O_{12+\delta}$ 205
–of $Li_{1+x}Ti_{2-x}O_4$ 149
–of $RBa_2Cu_3O_{6+x}$ 109
–of $Tl_{0.5}Pb_{0.5}Sr_2Ca_2Cu_3O_9$ 304
–of $TlSr_2CuO_y$ 261
–of $YBa_2Cu_3O_{7-x}$ 283
–of $YSr_2Cu_2FeO_{6+x}$ 187
Substitution effects 39, 76, 104, 125, 295
–in $Bi_{0.35}In_{0.65}Sr_2Gd_{1-x}Ca_xCu_2O_y$ 278
–in $Bi_2Sr_2CaCu_2O_{8+\delta}$ 142
–in $Y_1Ba_2(Cu_{1-x}Fe_x)_3O7$ 319
–in $Y_{1-x}Pr_xBa_2Cu_3O_{7-\delta}$ 428
–in $YBa_2(Cu_{1-y}Zn_y)_3O_{7-x}$ 53
–in $YBa_2Cu_3O_{6.5+\delta}$ 71
–in $YBa_2Cu_4O_8$ 227
–in $YSr_2Cu_2FeO_{6+x}$ 187
Superconducting loop 195
Superlattice
–of $(La, A)_2CaCu_2O_{6-y}$ 387
–of $(La, Sr)_2CuO_{4-y}$ 387
Synthesis
–of $(Bi, Pb)_2Sr_2Ca_1Cu_2O_{8+\delta}$ 405
–of $Bi_{0.35}In_{0.65}Sr_2Gd_{1-x}Ca_xCu_2O_y$ 278
–of $Bi_2Sr_2Ca_2Cu_3O_{10}$ 295
–of $Bi_2Sr_2CaCu_2O_8$ 295
–of $La_{4+x}Ba_{1-x}Cu_5O_{12+\delta}$ 205
–of $PrGaO_3/YBa_2Cu_3O_{7-x}/PrGaO_3$ 237
–of $Rba_2Cu_{3-x}Zn_xO_{7-y}$ 39
–of $Y_{1-x}Ca_xBa_2Cu_3O_6$ 125
–of $Y_{1-x}Ca_xBa_2Cu_3O_y$ 125
–of $Y_{1-x}Pr_xBa_2Cu_4O_8$ 76
–of $YBa_2Cu_3O_{7-x}$ 85, 283
–of $YBa_2Cu_3O_x$ 393
–of $YLa_xBa_{2-x}Cu_3O_y$ 125
–of $YSr_2Cu_2FeO_{6+x}$ 187

Thermal expansion 119
Thermoelectric effects 27
Thermomechanical effects 119
Thin films 125, 205, 237, 393, 405
–of $YBa_2Cu_3O_y$ 243
Tunneling 137, 346
Twinning 319
Type II superconductors 11, 27, 243

XPS 71
X-ray diffraction 283, 304, 393

$Y_1Ba_2Cu_3O_y$ bridge 254